

# EVERCOAT®

## *GARAGE PRO SERIES™*

Products Now Available At

# ACE®





# The #1 Body Filler Brand Used by Professionals

## A Brief History

Evercoat began as Fibre-Glass Evercoat in 1953, when our first formulations were developed in Cincinnati and sold throughout the US. Today, Evercoat leads the way in innovative collision repair products and is the #1 preferred brand of body filler and putty used by the professional collision centers.

With the Evercoat Garage Pro Series line of products; hobbyists, do-it-yourselfers, and car enthusiasts can bring professional-grade quality to their homes and garages. For automotive, marine, home repairs and much more, customers can trust Evercoat Garage Pro Series to bring flexibility, ease of use, and dependability to every project.



# Product Information



## Body Filler

Part #105060 Gallon  
Part #105061 Quart

- Sands up to 50% faster
- Easy to mix, shape, and sand
- Excellent adhesion to multiple surfaces
- Ideally suited for repairing dents and other large imperfections
- Compatible substrates: metal, fiberglass, concrete, wood, and stone



## Fiberglass Resin

Part #105061 Pint

- No run or sag on application
- Can be filled, sanded, or drilled
- Maximum strength and durability
- Impact resistant and waterproof
- Compatible substrates: fiberglass, concrete, wood, stone, and most rigid plastics



## Pro Glazing Putty

Part #105065 Pint

- Sands up to 50% faster
- Finishing and blending putty designed for easy sanding
- Ideally suited for fixing minor imperfections, dings, and scratches
- Compatible substrates: metal, fiberglass, concrete, wood, stone, sanded body filler, and rigid to semi-rigid plastics



## Cream Hardener

Part #105063 1OZ.

- Blue cream hardener catalyst
- For use with Garage Pro Series fillers and putties



## Liquid Hardener

Part #105064 1OZ.

- Liquid hardener catalyst
- For use with Garage Pro Series Fiberglass Resin


## CURRENT AVAILABLE SKUS

PART NO.	PRODUCT DESCRIPTION	CASE QTY	CASE L"	CASE W"	CASE H"	CASE WEIGHT LBS	PRODUCT UPC
105060	Body Filler Gallon	4	14.00	14.00	9.75	41.34	0 23289 05060 3
105061	Body Filler Quart	6	13.50	9.25	6.50	16.40	0 23289 05061 0
105062	Fiberglass Resin Pint	6	9.00	6.75	7.75	10.28	0 23289 05062 7
105063	Cream Hardener	6	6.75	4.00	5.00	0.64	0 23289 05063 4
105064	Liquid Hardener	12	1.00	6.00	4.00	0.85	0 23289 05064 1
105065	Glazing Putty Pint	6	10.50	7.25	5.75	11.16	0 23289 05065 8

# Additional Resources

PERFECT-MIX™ SHEETS COME UNDER EACH LID OF FILLER AND PUTTY

EVERCOAT GARAGE PRO FILLERS AND PUTTIES COME WITH A SINGLE-USE MIXING SHEET TO ENSURE EACH USER CAN EASILY ACHIEVE A PROPER 2% BY WEIGHT MIXING RATIO OF FILLER/PUTTY TO CREAM HARDENER



Scan this code for instructions on how to mix body filler/putty or visit [EvercoatBodyShop.com](https://evercoatbodyshop.com)

Escanea este código para obtener instrucciones sobre cómo mezclar el relleno corporal/masilla o visite [EvercoatBodyShop.com](https://evercoatbodyshop.com)

### PERFECT-MIX™ EASY VISUAL MIXING GUIDE

Use this handy single-use mixing sheet to easily achieve a proper 2% by weight mixing ratio of filler/putty to cream hardener

Mezcla-Perfecta Guía Visual Fácil de Mezcla - Utilice esta útil hoja de mezcla de un solo uso para lograr fácilmente una proporción adecuada de mezcla del 2% en peso de relleno/masilla a endurecedor de crema.

1. Tape this sheet to a clean, flat, and sturdy surface.
2. Place desired amount of filler/putty in the appropriate "Filler/Putty Puddle" outline below — the puddle outline should be covered.
3. Run a single bead of hardener below the puddle to completely cover the corresponding blue "Puddle Hardener Line."
4. With a plastic spreader, fold the hardener into the puddle of filler/putty and mix thoroughly.
5. Apply the mixed material to your project.

1. Pegar con cinta esta hoja en una superficie limpia, plana y resistente.  
2. Coloque la cantidad deseada de relleno/masilla en el esquema apropiado de "Relleno/Charco de Masilla" a continuación — el contorno del charco debe cubrirse.  
3. Ejecute un solo cordón de endurecedor debajo del charco para cubrir completamente la correspondiente línea azul "Línea Endurecedora de Charco."  
4. Con un espaldador de plástico, doble el endurecedor en el charco de relleno/masilla y mezcle bien.  
5. Aplicar el material mixto a su proyecto.

**2" Filler/Putty Puddle**  
2" Relleno/Charco de Masilla

**2" Puddle Hardener Line**  
2" Línea de Charco de Crema Endurecedora

**4" Filler/Putty Puddle**  
4" Relleno/Charco de Masilla

**4" Puddle Hardener Line**  
4" Línea de Charco de Crema Endurecedora

**6" Filler/Putty Puddle**  
6" Relleno/Charco de Masilla

**6" Puddle Hardener Line**  
6" Línea de Charco de Crema Endurecedora

## Online Resources



Website

<https://evercoatbodyshop.com>



Product Page

<https://evercoatbodyshop.com/products>

For customer service, call 1-888-605-0636